## A Pigment of Your Imagination



## **TECHNICAL DATA SHEET**

Date: 01.11.2020 Revision: 02

Product Description			
PIGMENT YELLOW 191:1		NPPL Product Code	PL-9010
18795		CAS No.	154946-66-4
604-984-8		Chemical Type	Monoazo lake (ca)
C17H15ClN4O7S2		Molecular Weight	
	18795 604-984-8 C17H15CIN4O7S2	18795 604-984-8 C17H15CIN4O7S2	18795 CAS No. 604-984-8 Chemical Type C17H15ClN4O7S2 Molecular Weight

Chemical Name: Benzenesulfonic acid, 4-chloro-2-[2-[4,5-dihydro-3-methyl-5-oxo-1-(3-sulfophenyl)-1H-pyrazol-4-yl] diazenyl]-5-methyl-, ammonium salt(1:2)

Physical Properties		
Sieve Residue (PPM) Max.	1000	
Oil Absorption (gms)	50-65	
Bulk Density (gm/ml)	0.25-0.40	
Salt Content (%) Max.	1	
Moisture Content (%) Max.	1	
PH Value	7 ± 1.5	

Mass Tone : 5%	Tint Tone: 1:10 Ratio

Fastness p	roperties	
Heat °C	Mass Tone	300
Heat °C	Tint Tone	300
Light	Mass Tone	7
Light	Tint Tone	6
Weather	Mass Tone	
Weather	Tint Tone	
Migration	_	5

Specification	
Coloristic properties - Tint	Strength: ±5%
Coloristic properties - Tint	DA,DB,DE,DC,DH,DL: ±1
Light fastness: Scale 1-8	1~Poor & 8 ~ Excellent
Weather fastness : Scale 1-5	1~Poor & 5 ~ Excellent
Overspray: Scale 1-5	1~Poor & 5 ~ Excellent
Solvent Fastness: Scale 1-5	1~Poor & 5 ~ Excellent
Heat Stability °C	DE =3 at Maximum Temp.</td

Application		
PP / HDPE / LDPE	•	
Engineering Polymers	•	
PVC	•	
Rubber / Fiber	•	
•	Suitable	
0	Limited Suitability	

**Note:** The colors above have been generated electronically and should therefore not be used for comparison purposes. The colors are meant to give a first impression of the colorant shade.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our Product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

ISO 9001 : 2015











**Regd. Office & Factory:** 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India T: +91-982-503-1388 / +91-2764-278338

NAVPAD PIGMENTS PVT. LTD.
A Govt. Of India Recognized Star Export House

E: exports@navpadpigments.com W: www.navpadpigments.com

CIN No: U24220GJ1998PTC033736