

# **MATERIAL SAFETY DATA SHEET**

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name : NAVFAST RED 9042

Company : NAVPAD PIGMENTS PVT. LTD.

Plot No. 1196/1/A &B, Village Rajpur,

Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

Telephone No. : + 91 2764 278338

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name or Generic : Pigment Red 4

C.I No. : 12085
CAS No. : 2814-77-9
Chemical Class : β-Napthol

Use of Substance : Colouring component for Inks & Coatings

## 3. HAZARDS IDENTIFICATION

This product does not require labeling in sense of the preparation guideline 1999/45/EC.

### 4. COMPOSITION / INFORMATION ON INGREDIENTS

Composition : Disazotized 2 Nitro p-toluidine coupled with 2 naphthol. Hazardous ingredients : None for substances with exposure limits see ch. 8

# 5. FIRST AID MEASURES

Ingestion : Rinse mouth thoroughly with water Consult physician.

Skin Contact : Wash immediately with soap and water.

Eye Contact : Rinse immediately thoroughly with plenty of water and consult an

Ophthalmologist

Inhalation : Provide fresh Air. Consult physician if problems arise.

### **PIGMENT RED 4**









# NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com



#### **6.FIRE FIGHTING MEASURES**

Extinguishing Media : Water mist, foam, extinguishing dry chemical recommended.

Full water jet and CO2 must not be used.

Special Hazards : As pigment is nonflammable there is no special fire hazard.

Protective Equipment : Use self-contained breathing devices

To employ extinguishing techniques that do not create dusts or are

otherwise appropriate to the fire conditions

Exposure Hazards : Contaminated firefighting water must not be discharged into the drainage

system

## 7. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Use suitable hand gloves; avoid making dust; avoid contacting with skin

and eyes by wearing an approved dust mask

Personal Precautions : Wash thoroughly after contact with pigments

Environmental Precautions: Do not allow to enter drains/surface water/ground-water.

Method of cleaning up : Collect mechanically

Dispose of contaminated material as waste according to item 13

Avoid dust explosion by eliminating dust formation & electrical charging Spread absorbent material; collect into suitable container for disposal. Waste disposal methods should comply with methods set forth by

local/state/federal authorities

8. HANDLING AND STORAGE

Handling : Avoid: Generation of dust.

Storage : Keep the packing dry and well sealed to prevent contamination and

absorption of humidity.

Precautions against fire and Keep away from: Heating. Keep away from

sources of ignition explosion: No smoking.

# 9. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection : Filtering mask P.

Hand protection : Use impervious/antistatic/PVC/PE gloves

Eye protection : Eye glasses with side protection type 4 (EN 166). Protective clothing : Working clothes protecting the whole body.

### **PIGMENT RED 4**









# NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com



#### 10. PHYSICAL AND CHEMICAL PROPERTIES

Form : Powder Color : Reddish Odor : Odorless

PH Value : 7

Melting point/ Melting range : Not applicable
Boiling point / Boiling range : Not applicable
Flush point : Not applicable
Flammability : Non-flammable
Ignition temperature : Not applicable

Danger of explosion : Product is not explosive. Dust can form an explosive

Mixture with air

Density : 0.20 - 0.35 gm/ml

Solubility in water : Insoluble Vapour Pressure : Not applicable

Octanol/Water partition

Coefficient (Log Pow) : Not determined

### 11. STABILITY AND REACTIVITY

Stability : This product is stable under normal storage conditions Hazardous reaction : Risk of dust explosion, No dangerous reactions known

Hazardous decomposition products: No dangerous decomposition products are known if handled &

stored appropriately

Conditions to avoid : Temperature exceeding thermal stability

High concentration of powders, Electrostatic charges

Material to avoid : Very strong oxidizing and reducing agents

### 12. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50>5000 mg/kg (Oral rat)

Skin irritation : Non irritant (rabbit)
Eye irritation : Non irritant (rabbit)

Sensitization : No sensitization effect known

Remark : The information in this section are derived from sources

considered reliable & products of similar composition

### **PIGMENT RED 4**









# NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com



#### 13. ECOLOGICAL INFORMATION

Other adverse effects

Handled in such a way that it will not contaminate the environment Insoluble in water. Based on data from similar products it is not expected to pose a hazard to the environment.

#### 14. DISPOSAL CONSIDERATIONS

Product: Material is not considered as dangerous however it should be taken to a suitable & authorized

waste disposal site in accordance with relevant regulations. In general the product is dusty,

and aslong as it has not been adequately wetted, it should be packed in well-closed

containers for removal.

Empty un-cleaned packaging: To be dispose off as product waste

### 15. TRANSPORT INFORMATION

Not classified as dangerous according to ADR/RID/IATA/IMDG

Custom tariff no.: 320417 39

#### 16. REGULATORY INFORMATION

Labeling : The products has not be labeled according to guideline 67/548/EEC & (EC) No 1272/2008 (CLP)

Designation according to EC guidelines: Not Require

Water hazard class : Not hazardous – class 0 (self-assessment)

### 17. OTHER INFORMATION

These data are based on our present knowledge, & are intended to describe the product with regard to the safety requirements. The data shall not constitute a guarantee of a particular or general specification nor shall it establish a legally valid contractual relationship. It will be a sole responsibility of the user of the product to ensure the suitability of the product intended for the purpose & method of use. We take no responsibility for any harm caused by the use of these data.

PREPARED BY : TECHNICAL SERVICE DEPARTMENT, NAVPAD PIGMENTS PVT.LTD.

PLACE : RAIPUR

**LAST REVIEW DATE**: 1STNOVEMBER, 2020.

### **PIGMENT RED 4**









# NAVPAD PIGMENTS PVT. LTD.

A Govt. Of India Recognized Star Export House

Regd. Office & Factory: 1196/1/A & B, Ghumasan Patia Road, Chhatral - Mehsana Highway, Rajpur - 382715, Gujarat, India

T: +91-982-503-1388 / +91-2764-278338

E: exports@navpadpigments.com W: www.navpadpigments.com

CIN No: U24220GJ1998PTC033736